A Review of the 2004 Water Year in Colorado




Mike Gillespie Snow Survey Division, USDA, NRCS

Prepared by Odie Bliss



http://ccc.atmos.colostate.edu http://www.co.nrcs.usda.gov/snow/

Water Year 2002 (Oct. 2001 - Sept. 2002) Precipitation Percent of Average for 1961-1990 Averages






Although Drought Severity lessened in WY 2003, many areas of Colorado continue to experience carry over effects from the extreme drought of 2002.

2003 Water Year Precipitation


October 2002 - September 2003 precipitation as a percent of the 1971-2000 average.



WY2004 temperatures in Colorado were above the 1971-2000 average.

- October, December, March and May were particularly warm.
- Summer temperatures were cooler than average for the first time in several years.
- For some areas east of the mountains, it was the coolest summer in several decades.


2004 WY Temperature Departures




WY2004 precipitation

- October, March and May were dry statewide.
- June, July and August were wet east of the mountains.
- Best drought recovery along the Front Range and southeast.

October 2003 % of Average




March 1 Snowpack




THE STATE OF THE S


March 2004 % of Average




April 1 Snowpack




April 2004 % of Average




May 1 Snowpack



Winter (Oct 2003 – Apr 2004) % of Average



May 2004 % of Average




Colorado Snowpack for 2004

COLORADO SNOWPACK

Summary for 2004


USDA Natural Resources Conservation Service

□ JANUARY ■ FEBRUARY □ MARCH □ APRIL ■ MAY ■ JUNE




April 1 Snowpack History


APRIL 1 SNOWPACK COLORADO STATEWIDE




June 2004 % of Average




July 2004 % of Average




August 2004 % of Average



Summer (May-Sep) 2004 Growing Season



2004 Water Year Precipitation




THE PROPERTY OF


2004 Streamflow

- Low soil moisture reduced runoff efficiencies.
- Annual volumes were generally below average.
- Multiple peak flows over longer duration.
- Highest volumes in the southern basins.


Cache La Poudre River Streamflow




Colorado River Streamflow




Animas River Streamflow



2004 Runoff Forecasts



Streamflow for 2004 vs. Average




2004 Reservoir Storage

Reservoir storage was generally below average throughout the year, statewide.


The summer demands essentially wiped out any gains in storage during the runoff season.

Reservoir Storage by Basin for Oct 1, 2004



Colorado Reservoir Storage

Colorado Statewide Reservoir Levels on October 1st for Years 1997- 2004 and Feb 1, 2005



WY 2004 Summary

- · A mild winter again
- Another year with below average snowmelt runoff
- Generous growing season precipitation east of the mountains
- Coolest summer in a looong time
- Improvements in soil moisture
- Reservoirs hung in there
- Significant runoff from rains



Colorado Climate Center Colorado State University

 Data and Power Point Presentations available for downloading

http://ccc.atmos.colostate.edu

click on "Drought" then click on "Presentations"

Natural Resources Conservation Service Snow Survey Office

• Access to snowpack, precipitation, reservoir data and streamflow forecast information available at:

http://www.co.usda.gov/snow/snowindex.html